

LETBEK

BRØNDGODS





INDHOLDSFORTEGNELSE

TOPRING M/ KNÆK KANT	3
TOPRING M/ FALS TIL KANTSTEN	3
TOPRING M/ FALS	4
TOPRING T/ KANTSTEN	4
TOPRING	5
KEGLE M/ FALS	6
KEGLE	6
KEGLE	6
DÆKSEL	7
DÆKSEL M/ FALS	7

LETBEK-



“


Vi bestræber os altid på at
levere produkter, som vi med
glæde vil tage imod igen. For
når produkterne er udtjente,
kan vi tage dem tilbage. Igen.

Og igen ...


LETBEKS FILOSOFI

TOPRING M/ KNÆK KANT

 Produceret i 100% genanvendt plast



SERIE	VARENR.	H (mm)	D (mm)	d (mm)	VÆGT (kg)	ANTAL PR. PALLE (stk.)	KLASSE (EN 124)	kg Co2 Eq*
315	10644	15	490	320	3	100	D400	0,82




TOPRING M/FALS TIL KANTSTEN

 Produceret i 100% genanvendt plast




SERIE	VARENR.	H (mm)	D (mm)	d (mm)	L (mm)	VÆGT (kg)	ANTAL PR. PALLE (stk.)	KLASSE (EN 124)	kg Co2 Eq*
315	10645	30	510	320	460	4	100	D400	1,63
	10646	50	510	320	460	7	60	D400	2,86
	10647	100	510	320	460	11	40	D400	4,49




TOPRING M/ FALS




SERIE	VARENR.	H (mm)	D (mm)	d (mm)	VÆGT (kg)	ANTAL PR. PALLE (stk.)	KLASSE (EN 124)	kg Co2 Eq*
315	10648	30	605	435	4	100	D400	1,84
	10649	50	605	435	9	60	D400	3,88
	10650	100	605	435	12	40	D400	5,11
600	10651	30	800	600	5	100	D400	2,25
	10652	50	800	600	9	100	D400	3,88
	10653	100	800	600	18	50	D400	7,35
	10654	150	800	600	26	30	D400	10,62




TOPRING T/ KANTSTEN




SERIE	VARENR.	D (mm)	d (mm)	H (mm)	L (mm)	VÆGT (kg)	ANTAL PR. PALLE (stk.)	KLASSE (EN 124)	kg Co2 Eq*
315	10012	500	320	30	450	4	100	D400	1,63
	10013	500	320	50	450	7	60	D400	2,86
	10014	500	320	100	450	11	40	D400	4,49



TOPRING




SERIE	VARENR.	D (mm)	d (mm)	H (mm)	h (mm)	VÆGT (kg)	ANTAL PR. PALLE (stk.)	KLASSE (EN 124)	kg Co2 Eq*
315	10037	340	285	10		1,2	100	D400	0,51
	10007	485	320	9	22	2,0	100	D400	0,85
	10008	485	320	15		2,0	100	D400	0,82
	10009	485	320	30		4,0	100	D400	1,70
	10010	485	320	50		7,0	60	D400	3,08
	10011	485	320	100		11,0	40	D400	4,83
425	10015	590	435	9	22	2,5	100	D400	1,06
	10016	590	435	15		2,5	100	D400	2,20
	10017	590	435	30		4,5	50	D400	1,80
	10018	590	435	50		9,5	30	D400	2,70
	10019	590	435	100		12,5	15	D400	5,11
600	10020	750	600	9	22	4,0	100	D400	1,70
	10021	750	600	15		3,7	100	D400	1,57
	10022	750	600	30		5,5	50	D400	2,33
	10023	770	600	50		9,5	30	D400	4,58
	10024	770	610	100		18,0	15	D400	8,91
	10025	770	610	150		26,0	10	D400	11,87
800	10026	960	800	9	22	6,5	100	D400	2,66
	10027	960	800	15		5,0	100	D400	2,04
	10028	960	800	30		8,0	50	D400	3,52
	10029	960	800	50		12,2	30	D400	5,36
	10030	960	800	100		23,9	15	D400	10,51



KEGLE M/ FALS

 Produceret i 100% genanvendt plast




SERIE	VARENR.	D (mm)	d (mm)	D1 (mm)	H (mm)	VÆGT (kg)	ANTAL PR. PALLE (stk.)	KLASSE (EN 124)	kg Co2 Eq*
315	10640	600	360	420	200	30,0	20	D400	12,26
425	10641	700	480	540	180	42,0	5	D400	17,16

KEGLE

 Produceret i 100% genanvendt plast



SERIE	VARENR.	D (mm)	d (mm)	D1 (mm)	L (mm)	VÆGT (kg)	ANTAL PR. PALLE (stk.)	KLASSE (EN 124)	kg Co2 Eq*
315	10031	546	360	500	190	30,0	20	D400	9,81
425	10032	770	500	665	240	42,0	5	D400	20,43




KEGLE

 Produceret i 100% genanvendt plast




SERIE	VARENR.	D (mm)	d (mm)	D1 (mm)	D2 (mm)	D3 (mm)	ANTAL PR. PALLE (stk.)	KLASSE (EN 124)	kg Co2 Eq*
600	10033	950	615	840	780	700	5	D400	22,42
				H (mm)	h (mm)	VÆGT (kg)			
				180	85	52,0			




* Se forudsætninger for beregning af carbon footprint screening på letbek.com
Alle mål er vejledende. Ret til ændringer forbeholdes.

DÆKSEL

 Produceret i 100% genanvendt plast




SERIE	VARENR.	D (mm)	d (mm)	H (mm)	h (mm)	VÆGT (kg)	ANTAL PR. PALLE (stk.)	KLASSE (EN 124)	kg Co2 Eq*
315	10034	510	310	70	60	11	40	A15	6,13
425	10035	665	490	100	90	17	15	A15	6,95
600	10036	760	580	80	65	30	15	Max 400 kg	10,22




DÆKSEL M/ FALS

 Produceret i 100% genanvendt plast



SERIE	VARENR.	D (mm)	d (mm)	H (mm)	h (mm)	VÆGT (kg)	ANTAL PR. PALLE (stk.)	KLASSE (EN 124)	kg Co2 Eq*
315	10655	415	300	120	40	11	40	A15	4,49
425	10656	535	418	125	45	17	15	A15	6,95



PRODUCERET I HENHOLD TIL: PN-EN 124:2000

A 15



Pedestrian areas
Bicycle paths
Lawns

B 125



Pedestrian areas
Household plots
Parked cars

C 250



Sidewalks
Roadsides

D 400



Highways
Any car parking

E 600



Industrial zones
Areas subject to high
wheel loads (forklifts,
trucks, etc.)

E 900



Areas prone to very
large wheel load
(airfield runways,
terminals, etc.)

KONTAKT OS

LETBEK

Hornevej 18
6862 Tistrup
Denmark

CVR: DK-24257134

+45 7529 9444
info@letbek.com

LETBEK SP ZO.O.

Industrialna 5
62-064 Plewiska
Poland

VAT: PL-7792494776

+48 601 841 919
info@letbek.com



LETBEK

